



## FOLDING- REHAB SHOWER/COMMODE CHAIR

- Complete Packages for Easier Ordering Available
- Easy to Fold and Transport
- Stainless Steel Frame
- 350 lb. (158kg) Weight Capacity
- Several Seat Options Available

The 922 is a Folding Rehab Shower/Commode Chair. The folding capability makes storage straightforward and travel possible with this easily maneuverable rehab shower/commode chair.

The padded, ergonomically correct configuration of the seat emphasizes pressure relief and proper sitting form. At the same time, the Stainless Steel frame provides a non-corrosive chair that was developed to address the full range of necessities for both user and caregiver.

## FRAMES



**P13559**  
18Wx18"D  
Stainless Steel  
Frame

## WHEELS



**P13861**  
22" Wheels  
(pair)



**P13862**  
24" Wheels  
(pair)



**P13864**  
24" Pneumatic  
Street Tread  
Wheels  
(pair)



**P13865**  
24" Flat Free Street  
Tread Wheels  
(pair)



**P13856**  
22" PVC Handrims  
(replaces standard  
handrims, pair)



**P13857**  
24" PVC Handrims  
(replaces standard  
handrims, pair)

## AXLES



**P13639**  
Bolted Axles  
(pair)



**P13640**  
Quick Release  
Axles  
(pair)



**P60532**  
Wheel Locks  
(pair)



**P13135**  
Wheel Locks with  
Extended Handle  
(pair)



**P60841-2**  
5" Casters  
(pair)



**P60800-2**  
5" Dual Locking  
Casters  
(pair)

## WHEEL LOCKS

## CASTERS

## SEATS



**P60993**  
18"Wx18"D  
Comfortuff 1.5" waterfall  
foam  
Front Open Seat  
A-5"xB-8" opening



**P60974**  
18"Wx18"D  
Comfortuff sloped foam  
Front Open Seat  
A-4"xB-6.5" opening



**P61120**  
18"Wx18"D  
Ensolite® 2" dual density  
foam w/coccyx notch  
Front Open Seat  
A-3"xB-5.25" opening



**P61058**  
18"Wx18"D  
Ensolite® 2" waterfall foam  
Front Open Contoured Seat  
A-5.5"xB-8.25" opening



**P61086**  
18"Wx18"D  
Ensolite® 2" foam  
Solid Seat



**P60675**  
18"Wx18"D  
Ensolite® 1" foam  
Cloverleaf Seat  
A-7.5"xB-9" oval opening



**P60701**  
18"Wx18"D  
Ensolite® 1" foam  
Front Open Seat  
A-4.55"xB-7.75" opening




**P60850**  
18"Wx18"D  
Ensolite® 1" waterfall foam  
Front Open Seat  
A-5"xB-8" opening




**P60913**  
18"Wx18"D  
Ensolite® 2" waterfall foam  
Front Open Seat  
A-5.25"xB-8" opening

Front Open Seat  
Opening Measurements



Cloverleaf Seat Opening  
Measurements



## ARMRESTS



**P13563**  
Left Hand  
Height-Adjustable  
Armrest



**P13564**  
Right Hand  
Height-Adjustable  
Armrest



**P13565**  
Left Hand Flip-Up  
Armrest



**P13566**  
Right Hand Flip-Up  
Armrest

## LEG RESTS



**PL13569**  
Left Gooseneck  
Leg Rest



**PR13569**  
Right Gooseneck  
Leg Rest



**P13794**  
Left Elevating  
Leg Rest



**P13795**  
Right Elevating  
Leg Rest



**PL13570**  
Left Low-Mount  
Leg Rest



**PR13570**  
Right Low-Mount  
Leg Rest

## FOOT PLATES



**PL11099**  
Left Foot Plate



**PR11099**  
Right Foot Plate



**PL11100**  
Left Foot Plate with  
Heel Loop



**PR11100**  
Right Foot Plate  
with Heel Loop



**P13891**  
Left Oversized  
Aluminum  
Foot Plate



**P13892**  
Right Oversized  
Aluminum  
Foot Plate



**PL11101**  
Left Padded  
Foot Plate

## BACKS



**PR11101**  
Right Padded  
Foot Plate



**P11098**  
18\"W Solid Back



**P13866**  
18\"W Sling Back



**PW60909**  
Waist Belt  
(54\" circumference with  
12\" overlap)



**PT60884**  
Trunk Belt  
(64\" circumference with  
12\" overlap)



**P60879**  
Calf Strap



**P11093**  
Bodypoint®  
Trunk Belt

## BELTS



**P11102**  
Bodypoint®  
Trunk Belt (pair)



**P11111**  
Bodypoint® Trunk  
Belt & Waist Belt



**P11112**  
Bodypoint® XL  
Trunk Belt



**P11113**  
Bodypoint® Belt  
w/Quick Release  
Knobs



**P61081**  
Bodypoint®  
Calf Strap



**P11114**  
Bodypoint®  
Knee Belt

## POSITIONING AIDS



**PL13574**  
Left Hand  
Swing-Away  
Adjustable Lateral



**PR13574**  
Right Hand  
Swing-Away  
Adjustable Lateral



**P61006**  
Abductor/Deflector  
Large



**P13573**  
18\"Wx18\"W  
Pan/Hanger

## PANS



922 with Options-Folded



922 with Options

full option details at  
[activeaid.com](http://activeaid.com)

## SPECIFICATIONS

|                                                               |                          |                         |                              |
|---------------------------------------------------------------|--------------------------|-------------------------|------------------------------|
| Weight Capacity                                               |                          | 350 lbs. (158kg)        |                              |
| Seat Width                                                    |                          | 18" (45cm)              |                              |
| Width between Arm Rests                                       | Armrest with Pad         | 19.5" (49cm)            |                              |
|                                                               | Armrest with Arm Troughs | 17.5" (44cm)            |                              |
|                                                               | Height Adjustable        | 17.5" (44cm)            |                              |
| Seat Depth                                                    |                          | 18" (45cm)              |                              |
| Seat Height Range From Floor to Top of Seat (transfer height) |                          | 22.5" (57cm)            |                              |
| Leg Rest Range                                                |                          |                         | <u>with Padded Footplate</u> |
|                                                               | Low-Mount                | 17.75"-23.25" (45-59cm) | 16.5"-22" (41-55cm)          |
|                                                               | Gooseneck                | 16"-21" (40-53cm)       | 14.75"-19.75" (37-50cm)      |
|                                                               | Elevating - Up           | 17"-24" (43-60cm)       | 15.75"-22.75" (40-57cm)      |
|                                                               | Elevating - Down         | 18.5"-25.5" (46-64cm)   | 17.25"-24.25" (43-60cm)      |
| Usable Seat Depth w/Solid Back                                |                          | 18" (45cm)              |                              |
| Arm Height from Top of Seat                                   | Armrest with Pad         | 7.5" (19cm)             |                              |
|                                                               | Armrest with Arm Troughs | 7.75" (19cm)            |                              |
|                                                               | Height Adjustable        | 3"-9" (7-22cm)          |                              |
| Back Height From Top of Seat                                  |                          | 15.5" (39cm)            |                              |
| Gap between top of seat and bottom of back                    |                          | 7.5" (19cm)             |                              |
| Maximum Back Slack                                            |                          | 2" (5cm)                |                              |
| Seat to Back Angle (or Range) (Recline)                       |                          | 6°                      |                              |
| Under Seat Height Clearance                                   |                          | 17.75" (45cm)           |                              |
| Under Seat Width Clearance                                    |                          | 15" (38cm)              |                              |
| Overall Width                                                 |                          | 14.25" (36cm)           |                              |
|                                                               | Folded                   | 25.75" (65cm)           |                              |
| Overall Length                                                | Unfolded                 | 46" (116cm)             |                              |
|                                                               | Min. with 22" Wheels     | 47" (119cm)             |                              |
| Back of Unit to Start of Commode Opening                      | Min. with 22" Wheels     | 14.75" (37cm)           |                              |
|                                                               | Min. with 24" Wheels     | 15.75" (40cm)           |                              |
| Turning Diameter                                              | Min. with 22" Wheels     | 50" (127cm)             |                              |
| Seat Used to Generate Specifications                          |                          | #61120 18"Wx18"Dx2.75"H |                              |